

Organization-Wide Report


About This Report

This report provides aggregated clinical outcome metrics for Patrick Psychiatry. All data is presented in de-identified, aggregate form to protect patient privacy while enabling quality improvement and outcomes tracking.

Executive Summary








Clinical Outcome Trends



Improvement/decline defined as 3+ point score change from baseline (clinically meaningful)

Performance Benchmarking

Your metrics compared to Patrick Psychiatry internal averages




Trend Analysis

Score trends and assessment patterns over time

Average Score from Baseline

Shows how scores change from 1st to nth assessment



!“ Average score decreased by 2.4 points from baseline (improvement)


Monthly Average Score Trend

Average scores by calendar month



Score Change Distribution

Baseline to latest (positive = improvement)




Population Analysis

Patient demographics and assessment patterns


Diagnosis Distribution

Patient count by primary diagnosis



Assessment Types Used

Frequency of each assessment form



Treatment Modalities

Distribution of treatment approaches



Severity Analysis

Distribution and trends of symptom severity levels


Severity by Assessment Type

Breakdown for each form type

Form	Minimal	Mild	Moderate	Mod-Sev	Severe	Total
GAD-2	0	0	0	0	0	5
AUDIT-C	0	0	0	0	0	2
DAST-10	0	0	0	0	0	2
RSE	0	0	0	0	0	1
GAD-7	0	0	0	0	0	1
PROMIS-Glo	0	0	0	0	0	1
CIA	0	0	0	0	0	1
MDQ	0	0	0	0	0	1
AUDIT	0	0	0	0	0	1

Severity Trends Over Time

Monthly distribution of severity levels




Age Group Analysis

Patient demographics and outcomes by age cohort

Age Distribution

Number of patients in each age group



Outcome Trends by Age Group

Improvement/decline rates (patients with 2+ assessments)



Detailed Outcomes by Age

Average scores and trends for each cohort

Age Group	Avg Score	# Assess	Improved	Stable	Declined
26-35	18	1	0	0	0
46-55	3.4	9	1	0	1
56-65	3.7	3	0	0	1
65+	21.5	2	0	1	0

Methodology & Definitions

Data Collection

Assessment data is collected through standardized clinical measures administered electronically. Response data is captured at the time of completion and stored securely.

Outcome Measurement

Clinical improvement is measured by comparing baseline assessment scores to the most recent assessment. A change of 3 or more points is considered clinically meaningful.

Improved

Patients whose score decreased by 3+ points from baseline, indicating symptom reduction.

Stable

Patients whose score changed by less than 3 points in either direction.

Declined

Patients whose score increased by 3+ points from baseline, indicating symptom worsening.

Tracked Outcomes

Patients with 2 or more completed assessments, enabling comparison over time.

Completion Rate

Percentage of sent assessments that were completed by patients.

Severity Levels

Based on validated scoring ranges for each assessment type: Minimal, Mild, Moderate, Moderately Severe, and Severe.

Privacy

This report contains only aggregate data. No individual patient names or identifiers are included.

Powered by TouchpointHQ

Measurement-based care made simple. Track patient outcomes with validated assessments.

touchpointhq.com